Hearing Date: No hearing scheduled
Location: <<CourtRoomNumber>>
Judge: Calendar, Y

FILED
7/28/2025 1:48 PM
Mariyana T. Spyropoulos
CIRCUIT CLERK
COOK COUNTY, IL
2022L010246
Calendar, Y
33758263

FILED DATE: 7/28/2025 1:48 PM 2022L010246

IN THE CIRCUIT COURT OF COOK COUNTY, ILLINOIS

LAW DIVISION

30 DEGREE DESIGN, LLC, an Illinois limited liability company,

BRAD BEHIMER, an individual, and

KENNETH MAYLE, an individual,

Plaintiffs,

v.

GP OPPORTUNITY FUND, LLC, an Illinois Limited Liability Company,

Defendant.

Case No.: 22 L 101246

Calendar Y, Court Room 2004, Judge Tully

PLAINTIFFS' MOTION FOR SANCTIONS PURSUANT TO ILLINOIS SUPREME COURT RULE 219

NOW COME the Plaintiffs, 30 Degree Design, LLC, Brad Behimer, and Kenneth Mayle, by and through Kenneth Mayle appearing *pro se*, and pursuant to Illinois Supreme Court Rule 219, respectfully move this Honorable Court for an order imposing sanctions against Defendant GP Opportunity Fund, LLC ("Defendant") for its unreasonable failure to comply with discovery obligations. This motion is independent of any prior motions filed in this case. In support thereof, Plaintiffs state as follows:

INTRODUCTION

1. This motion arises from Defendant's evasive, incomplete, and misleading responses to Plaintiffs' First Set of Interrogatories and First Set of Requests to Produce ("RTP"), served in 2024. Specifically, Defendant failed to disclose information regarding building code violations at the property located at 4714 W. Lake Street, Chicago, Illinois (the "Property"), the lack of a functional fire suppression system prior to and during the lease term, and the Property's ownership structure, including its holding in a land trust since at least 2018. These omissions violate Illinois Supreme Court Rules 213 and 214, which mandate full and complete discovery responses.
2. Defendant's boilerplate objections and incomplete answers were not made in good faith, leading to prejudice against Plaintiffs. This non-compliance confused prior counsel in 2024, contributed to the potential closure of discovery without full disclosure, and hindered timely motions to invalidate the lease due to fraud by omission, non-disclosure of material defects (e.g., code violations and fire safety issues), and related matters such as guarantees and punitive damages.

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Public records, including those attached as Exhibit C (Building Permit and Inspection Records) and Exhibit D (Certified Deed), contradict Defendant's responses and demonstrate the extent of the non-disclosure.

3. Pursuant to Illinois Supreme Court Rule 219(c), Plaintiffs request sanctions including: (a) compelling full responses; (b) deeming facts admitted, such as the existence of undisclosed code violations, the absence of a compliant fire suppression system, and lease invalidity due to fraud; (c) barring Defendant from contesting lease validity or introducing evidence on code compliance; (d) striking Defendant's counterclaim; (e) awarding costs and fees; (f) granting a continuance of any upcoming hearings, trial, or deadlines to allow for reopened discovery and supplementation based on the compelled disclosures; and (g) other just relief.

FACTUAL BACKGROUND

4. This case involves claims of negligence, fraud, and breach concerning a lease for the Property, where a fire occurred on or about February 7, 2023, allegedly due to Defendant's neglect, including failure to maintain code-compliant fire safety systems and disclose known hazards. Plaintiffs allege the lease is invalid due to fraud by omission, including non-disclosure of code violations and fire suppression deficiencies.
5. Plaintiffs served their First Set of Interrogatories on or about May 2024. Relevant interrogatories include:
    - **Interrogatory No. 17**: "State whether you were subject to City of Chicago demolition and/or code violations for the subject premises within 5 years prior to the occurrence, what was the citation, what was the resolution and the case numbers and/or code violation numbers."
        - Defendant's Response (July 7, 2024): Objected on relevance and unclear "occurrence," then stated it "had not been cited for any building code violations at the property in the 5 years prior to the June 17, 2022 raid." No case numbers or details were provided.
        - This response is misleading and incomplete. Public records (Exhibit C) show multiple violations in the 5 years prior to June 2022 (i.e., 2017-2022), including fire safety issues. For example:
            - Inspection #794809 (pre-2022): Violations FP2008 (remove obstructions hampering sprinkler operation), FP2052 (provide water motor gong or bells for sprinkler alarm), FP2108 (repair defective dry pipe valve), and others related to fire suppression.
            - Inspection #7775544 (pre-2022): FP1968 (repair or replace defective relief valves) and FP2148 (provide fire pump performance test).
            - Inspection #243192 (pre-2022): FP2148 (fire pump test).
            - Inspection #1233299 (pre-2022): FP2028 (secure supply gate valves) and FP2148.
            - Inspection #123328 (pre-2022): FP2028.
            - Inspection #11833613 (pre-2022): FP2148.

FILED DATE: 7/28/2025 1:48 PM 2022L010246

- These and other entries in Exhibit C indicate ongoing fire suppression deficiencies, contradicting Defendant's denial. The City of Chicago's data portal and building records site confirm such violations for the Property (spanning 4700-4714 W. Lake St).

6. Plaintiffs served their First Set of RTP on or about May 2024. Relevant requests include:
    - **RTP No. 22**: "All code violations received, all documents demanding repairs to the space."
        - Defendant's Response (July 10, 2024): Objected as "unclear" and "overly broad," producing no documents.
        - This is meritless; the request is tailored to the Property and claims. Exhibit C shows documents exist, including demands for repairs to fire pumps, sprinklers, and valves. Defendant's refusal prejudices Plaintiffs' negligence and fraud claims.
    - **RTP No. 4**: "Real Estate Ownership documents... trust agreements..."
        - Defendant's Response: Provided some ownership documents but objected to non-Property items; no trust agreements disclosed.
        - Exhibit D (Certified Deed, recorded November 19, 2018, Instrument #1832349159) shows the Property transferred to Chicago Title Land Trust Company as Trustee under Trust No. 8002378809. Cook County Assessor records confirm PIN 16-10-301-011-0000 for 4714 W. Lake St, classified as industrial, but owner details require FOIA, consistent with trust holding. Defendant's non-disclosure hides the true ownership structure, potentially affecting liability.
7. Defendant's general objections (e.g., "overbroad, burdensome") are boilerplate and violate Rule 201's good-faith requirement. This prejudiced Plaintiffs: prior counsel overlooked lease invalidity arguments under fraud (735 ILCS 5/2-1005 for summary judgment); discovery closed without supplementation; additional research costs incurred via public portals.

LEGAL ARGUMENT

8. Rule 219(c) authorizes sanctions for discovery non-compliance, including barring evidence or deeming facts admitted. *Shimanovsky v. Gen. Motors Corp.*, 181 Ill. 2d 112 (1998). Sanctions are proportionate to the violation. *Locasto v. City of Chicago*, 2014 IL App (1st) 113576.
9. Defendant's denial of violations contradicts public records (Exhibit C), warranting sanctions. See *Pate v. Palmer I, LLC*, 2017 IL App (1st) 161471-U (sanctions in tenant disputes for discovery abuse). Violations relate to fire safety under 65 ILCS 5/11-13-15 and Municipal Code §§ 15-16 et seq.
10. Non-disclosure of trust ownership (Exhibit D) violates RTP No. 4, prejudicing alter-ego claims. See *Kaiser v. Olson*, 105 Ill. App. 3d 1008 (1981) (fraud invalidates contracts).
11. Prejudice is severe; sanctions are needed to ensure fairness, including a continuance to reopen discovery.

RELIEF REQUESTED

WHEREFORE, Plaintiffs request:

FILED DATE: 7/28/2025 1:48 PM 2022L010246

- Compel full responses/documents within 14 days;
- Deem admitted: pre-lease code violations existed without disclosure, no compliant fire suppression system, lease invalid due to fraud; Email from insurance company Diamond Bros relevant to the cause of termination of fire insurance for hazards.
- Bar Defendant from contesting validity/compliance;
- Strike counterclaim;
- Award costs/fees;
- Grant continuance of hearings/trial/deadlines for reopened discovery;
- Other relief.

Respectfully submitted,

/s/ Kenneth Mayle

Kenneth Mayle, *pro se*

1034 N. Karlov Ave, Chicago, IL 60651, 248-635-7455

EXHIBIT LIST

- **Exhibit C**: Building Permit and Inspection Records for 4700-4714 W. Lake St.
- **Exhibit D**: Certified Deed for 4714 W. Lake St., dated November 12, 2018, Instrument #1832349159
- Exhibit E: Email from Diamond Bro's regarding reason for policy violations
- Exhibit F: Chicago Fire Department Incident report confirming lack of an AEF (automatic extinguishing system) AKA sprinklers.

CERTIFICATE OF SERVICE

I certify that on July 28, 2025, I served this motion via email on Zachary D. Limbaugh, attorney for Defendant, at Limbaugh@LimbaughLawFirm.com; address: 417 West Superior Street, Chicago, Illinois 60654; Phone: (312) 612-9225; ARDC #3064446.

bradleybehmer@gmail.com

/s/ Kenneth Mayle

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

INPUT ADDRESS

4700 W LAKE ST

RANGE ADDRESS


4700-4744 W LAKE ST CHICAGO IL 60644

BUILDING ATTRIBUTES

BLDG ID	STORIES	BASEMENT	LENGTH	WIDTH	HEIGHT	FLR AREA	CONSTR TYPE	PORCH	LOT WIDTH	LOT LENGTH	DU
859337	1	Y	460	142	0	82500	3B		142	460	0

BUILDING PERMITS

Exhibit C



FILED DATE: 7/28/2025 1:48 PM 2022L010246

PERMIT #	DATE ISSUED	DESCRIPTION OF WORK
101032831	01/09/2024	EXISTING 1 STORY MASONRY WAREHOUSE BLDG. W/PARTIAL MEZZANINE OFFICE AREA (NO CHANGE IN USE/OCCUPANCY)-INT. RENOVATION, REPLACE ROOF. REPAIR MASONRY/CONCRETE, REPAIR/REPLACE EXIST.STEEL STAIRS/PLATFORM, S.A.E. WORK AT S/E 1/2 SECTION OF BLDG. ONLY. ADDRESS OPEN VIOLATIONS. ALL WORK PER PLANS/CODE. SUBJECT TO INSPECTIONS AT 4700-4714 W LAKE ST., CHICAGO
101007487	03/02/2023	REPAIR EXISTING 200 AMP SERVICE 2 METER 2 PANEL
100983840	08/10/2022	INSTALL FIBERGLASS FELT SET IN HOT ASPHALT AND MOPPED
100957842	03/05/2022	INSTALL NEW 200 AMP 3-PHASE SERVICE. UNIT A
100961224	03/05/2022	INSTALL NEW 200 AMP 3-PHASE SERVICE UNIT B
100927617	06/19/2021	INSTALL NEW 200 AMP 3-PHASE FOUR WIRE SERVICE
100925579	06/05/2021	INSTALL NEW 200 AMP 3-PHASE SERVICE
100862583	02/18/2020	INSTALLATION OF LOW VOLTAGE SYSTEM
100204820	10/17/2007	UPGRADE TO AN 800 AMP SERVICE
B20310315	05/06/2003	REVISION TO PERMIT NO. 2003-999532 TO CHANGE ADDRESS ONLY.
141206	01/31/2003	RESONE TO DEPARTMENT OF BUILDINGS INSPECTION REPORT ICN: 9660520 ITEM # 14 002011, TUCKPOINTING, BRICK REPAIR, REPL. DEFECTIVE DOOR SAME SIZE AND LOCATION
B20220821	01/31/2003	RESONE TO DEPARTMENT OF BUILDINGS INSPECTION REPORT ICN: 9660520 ITEM # 14 002011, TUCKPOINTING, BRICK REPAIR, REPL. DEFECTIVE DOOR SAME SIZE AND LOCATION
EL8093194	08/09/1989	INSTALL LOW VOLTAGE ALARM SYSTEM
EL5976915	01/21/1983	LOW VOLTAGE ALARM
EL5600498	11/04/1981	SPRINKLER MONITOR

FILED DATE: 7/28/2025 1:48 PM 2022L010246

BUILDING CODE ENFORCEMENT CASE ACTIVITY

CASE NUMBER	CASE TYPE
INFO NOT AVAILABLE	CIRCUIT COURT
822FO664574	CIRCUIT COURT
02L136009	ADMINISTRATIVE HEARING

DEPARTMENT OF BUILDINGS INSPECTIONS

INSP #	INSPECTION DATE	STATUS	TYPE DESCRIPTION
14440291	11/04/2024	PARTIAL PASSED	DOB REFRIGERATION INSPECTION
14420595	09/18/2024	PARTIAL PASSED	DOB REFRIGERATION INSPECTION
14191696	09/06/2024	CLOSED	BOILER ANNUAL INSPECTION
13741440	08/30/2024	CLOSED	ELECTRICAL PERMIT INSPECTION
13741441	08/30/2024	CLOSED	ELECTRICAL PERMIT INSPECTION
13563217	08/30/2024	CLOSED	ELECTRICAL PERMIT INSPECTION
13232614	08/30/2024	CLOSED	ELECTRICAL PERMIT INSPECTION
13568687	08/30/2024	CLOSED	ELECTRICAL PERMIT INSPECTION
14008640	08/30/2024	CLOSED	ELECTRICAL PERMIT INSPECTION
14427662	08/15/2024	PARTIAL PASSED	ELECTRICAL PERMIT INSPECTION
14234804	08/09/2024	PARTIAL PASSED	DOB NEW CONSTRUCTION INSP

FILED DATE: 7/28/2025 1:48 PM 2022L010246

INSP #	INSPECTION DATE	STATUS	TYPE DESCRIPTION
14228612	08/09/2024	PARTIAL PASSED	ELECTRICAL PERMIT INSPECTION
14384845	06/05/2024	PASSED	DOB PLUMBING INSPECTION
14234803	02/26/2024	PARTIAL PASSED	DOB NEW CONSTRUCTION INSP
14317346	02/26/2024	PASSED	BLDG_PERM IRON PERMIT INSP
14228611	02/16/2024	PARTIAL PASSED	ELECTRICAL PERMIT INSPECTION
13946004	02/08/2023	CLOSED	CHECKLIST INSPECTION
13835032	06/17/2022	FAILED	CONSERVATION COMPLAINT INSPECT
11833613	08/11/2016	FAILED	ANNUAL INSPECTION
11083893	09/29/2015	PASSED	ANNUAL INSPECTION
11082359	12/13/2013	FAILED	ANNUAL INSPECTION
11028764	12/10/2013	FAILED	ANNUAL INSPECTION
10911652	11/05/2013	FAILED	ANNUAL INSPECTION
10558270	11/09/2012	PASSED	ANNUAL INSPECTION
10320968	02/02/2012	FAILED	ANNUAL INSPECTION
10229147	08/02/2011	FAILED	ANNUAL INSPECTION
9950723	07/08/2010	PASSED	ANNUAL INSPECTION
2790634	01/08/2010	PASSED	ANNUAL INSPECTION
2242507	07/30/2009	FAILED	ANNUAL INSPECTION

FILED DATE: 7/28/2025 1:48 PM 2022L010246

INSP #	INSPECTION DATE	STATUS	TYPE DESCRIPTION
2001027	07/27/2009	CLOSED	ELECTRICAL PERMIT INSPECTION
2267443	05/15/2008	PASSED	CONSERVATION ANNUAL
2170753	04/10/2008	FAILED	CONSERVATION ANNUAL
1848546	07/11/2007	PASSED	ANNUAL INSPECTION
1432222	07/27/2006	PASSED	ANNUAL INSPECTION
1416656	04/26/2006	PASSED	CONSERVATION ANNUAL
1063596	07/05/2005	PASSED	ANNUAL INSPECTION
530324	01/14/2005	PASSED	PERMIT INSPECTION
794811	09/29/2004	PASSED	ANNUAL INSPECTION
794809	08/21/2004	FAILED	ANNUAL INSPECTION
790380	08/20/2004	PASSED	PUMP CASE
782059	07/30/2004	FAILED	PUMP CASE
777554	06/25/2004	FAILED	PUMP CASE
737756	06/07/2004	FAILED	ANNUAL INSPECTION
370657	01/28/2004	FAILED	ANNUAL INSPECTION
469373	07/24/2003	PARTIAL PASSED	PERMIT INSPECTION
428133	07/10/2003	PASSED	BOILER ANNUAL INSPECTION
250295	01/03/2003	FAILED	ANNUAL INSPECTION
152864	07/26/2002	PASSED	BOILER ANNUAL INSPECTION

FILED DATE: 7/28/2025 1:48 PM 2022L010246

INSP #	INSPECTION DATE	STATUS	TYPE DESCRIPTION
243192	05/30/2002	FAILED	ANNUAL INSPECTION
231992	03/14/2002	CLOSED	SIGN COMPLAINT INSPECTION
123329	01/25/2002	FAILED	ANNUAL INSPECTION
123328	07/11/2000	FAILED	FIRE PREVENTION PUMPS LEGACY
9042023	11/29/1996	CLOSED	BOILER LEGACY INSPECTION
9457789	11/29/1996	CLOSED	BOILER LEGACY INSPECTION

ALLEGED CODE VIOLATIONS

	BOILER ANNUAL INSPECTION # 14191696 INSPECTION DATE: 09/06/2024	**Number of Violations: 2**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
BR1001	The code violations listed below must be corrected within 15 days of receipt of this notice. The owner or the contractor who does the work must sign, date, and return this notice or a copy to indicate that the work is done to the Boiler Inspection Bureau.	
BR2010	Call 744-3516 to arrange entry for boiler, water heater, pressure vessel, and related equipment inspection.	NO ENTRY
	ANNUAL INSPECTION # 11833613 INSPECTION DATE: 08/11/2016	**Number of Violations: 1**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	
	ANNUAL INSPECTION # 11082359 INSPECTION DATE: 12/13/2013	**Number of Violations: 1**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	
	ANNUAL INSPECTION # 11028764 INSPECTION DATE: 12/10/2013	**Number of Violations: 1**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	NO POWER.
	ANNUAL INSPECTION # 10911652 INSPECTION DATE: 11/05/2013	**Number of Violations: 1**

FILED DATE: 7/28/2025 1:48 PM 2022L010246

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	NO POWER.
	ANNUAL INSPECTION # 10320968 INSPECTION DATE: 02/02/2012	**Number of Violations: 1**
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2051	SEC. 15-16-530, 15-16-1140 REPAIR DEFECTIVE ALARM VALVE OR WATER FLOW BELL.	10" BELL O.O.S.
	ANNUAL INSPECTION # 10229147 INSPECTION DATE: 08/02/2011	**Number of Violations: 2**
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1984	SEC. 15-16-220 REPAIR OR REPLACE DAMAGED OR DEFECTIVE SIAMESE FITTING.	SOUTH WEST SIDE NEAR OVERHEAD DOOR.
FP2051	SEC. 15-16-530, 15-16-1140 REPAIR DEFECTIVE ALARM VALVE OR WATER FLOW BELL.	10" BELL O.O.S.
	ANNUAL INSPECTION # 2242507 INSPECTION DATE: 07/30/2009	**Number of Violations: 1**
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1904	SEC. 15-4-970, 4-180-070, 15-24-780, 15-24-790 REMOVE RUBBISH FROM	DEBRIS RUBBISH BSMT

FILED DATE: 7/28/2025 1:48 PM 2022L010246

	CONSERVATION ANNUAL # 2170753 INSPECTION DATE: 04/10/2008	Number of Violations: 2
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
CN031013	Failed to install approved fire extinguishers on every floor of residential building more than three stories in height and having floor area exceeding 3,000 square feet. (15-16-160, 15-16-640)	Missing fire extinquisher shop area.
CN107035	Failed to maintain all exit signs illuminated when building is occupied and otherwise maintain exit signs in good condition. (13-196-090, 13-160-700 thru 13-160-770)	Non-lit exit lights west.
	ANNUAL INSPECTION # 794809 INSPECTION DATE: 08/21/2004	Number of Violations: 4
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2008	SEC. 15-16-350, 15-16-040, 15-16-050, 15-16-060, 15-16-070, 15-16-190, 15-28-340, 15-16-030 REMOVE THE OBSTRUCTIONS THAT HAMPER THE OPERATION OF THE SPRINKLER SYSTEM OR EXTEND THE SYSTEM TO INCLUDE THE AREA(S) BELOW THE OBSTRUCTION(S). SUBMIT THREE SETS OF PLANS TO THE FIRE PREVENTION BUREAU AND OBTAIN APPROVAL BEFORE STARTING WORK.	STOP BLOCKING FIRE EXTINGUISHERS THRU-OUT PRIMISES
FP2052	SEC. 15-16-530, 15-16-190 PROVIDE AN APPROVED WATER MOTOR GONG OR AN APPROVED SYSTEM OF OUTSIDE AND INSIDE BELLS. SUBMIT THREE SETS OF PLANS TO THE FIRE PREVENTION BUREAU BEFORE STARTING WORK.	INSTALL 6" WATER FLOW BELL IN PUMP ROOM

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FP2052	SEC. 15-16-530, 15-16-190 PROVIDE AN APPROVED WATER MOTOR GONG OR AN APPROVED SYSTEM OF OUTSIDE AND INSIDE BELLS. SUBMIT THREE SETS OF PLANS TO THE FIRE PREVENTION BUREAU BEFORE STARTING WORK.	INSTALL 10" WATER FLOW BELL OUTSIDE FRONT.
FP2108	SEC. 15-16-970, 15-16-090 PROVIDE APPROVED ONE AND ONE HALF (1 1/2) INCH HOSE WHERE SAME IS MISSING OR DAMAGED.	REPLACE 1 1/2" HOUSE HOSE ON STANDPIPE (CENTER SHOP)
	PUMP CASE # 782059 INSPECTION DATE: 07/30/2004	**Number of Violations: 1**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	
	PUMP CASE # 777554 INSPECTION DATE: 06/25/2004	**Number of Violations: 5**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
FP1918	SEC. 15-16-220 REPAIR AND MAINTAIN THE AUTOMATIC SPRINKLER SYSTEM AND PLACE IN SERVICE AT ONCE.	SYSTEM ON CITY PRESSURE ONLY
FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	
	ANNUAL INSPECTION # 737756 **INSPECTION DATE: 06/07/2004**	**Number of Violations: 5**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
FP1918	SEC. 15-16-220 REPAIR AND MAINTAIN THE AUTOMATIC SPRINKLER SYSTEM AND PLACE IN SERVICE AT ONCE.	SYSTEM ON CITY PRESSURE ONLY
FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	

FILED DATE: 7/28/2025 1:48 PM 2022L010246

	ANNUAL INSPECTION # 370657 INSPECTION DATE: 01/28/2004	Number of Violations: 4
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	
	ANNUAL INSPECTION # 250295 INSPECTION DATE: 01/03/2003	Number of Violations: 3
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
	ANNUAL INSPECTION # 243192 INSPECTION DATE: 05/30/2002	Number of Violations: 4
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	
	ANNUAL INSPECTION # 123329 **INSPECTION DATE: 01/25/2002**	**Number of Violations: 5**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP1976	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE PRESSURE MAINTENANCE PUMP (JOCKEY PUMP).	
FP1980	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE OUTSIDE SCREW AND YOKE VALVE(S), (O.S.Y.)	REPACK LEAKING NW RISER OS & Y
FP2028	SEC. 15-16-400, 15-16-1050 SECURE ALL SUPPLY GATE VALVES IN AN OPEN POSITION.	

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	
	FIRE PREVENTION PUMPS LEGACY # 123328 INSPECTION DATE: 07/11/2000	**Number of Violations: 4**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP1976	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE PRESSURE MAINTENANCE PUMP (JOCKEY PUMP).	
FP1980	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE OUTSIDE SCREW AND YOKE VALVE(S), (O.S.Y.)	REPACK LEAKING NW RISER OS & Y
FP2028	SEC. 15-16-400, 15-16-1050 SECURE ALL SUPPLY GATE VALVES IN AN OPEN POSITION.	
	CHECKLIST INSPECTION # 13946004 INSPECTION DATE: 02/08/2023	**Number of Violations: 6**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
CN002081	Submit for approval plans prepared, signed, and sealed by licensed architect or licensed engineer and obtain permit for all but emergency repairs. (13-32-010, 13-40-010, 13-40-020)	

FILED DATE: 7/28/2025 1:48 PM 2022L010246

CN193000	Maintain building in safe condition so it does not constitute actual and imminent danger to public. (13-12-130, 13-8-100, 13-12-120, 13-12-125, 65 ILCS 5/11-31-1) Maintain building windows and doors in safe condition. (13-196-550) Maintain stairway and porch in safe condition. (13-196-570) Maintain floors, walls, and ceilings in safe condition. (13-196-540) Maintain building in safe condition. Premises now dangerous as vacant and open, uncompleted and abandoned, or vacant and boarded. (13-12-130, 13-12-125) Maintain watchman at vacant or open premises. (13-12-140)	
CN193019	Repair or wreck dangerous and vacant residential premises. (13-8-100, 13-12-125, 13-12-130)	
CN193029	Maintain watchman from 4:00 PM to 8:00 AM for vacant and dangerous residential premises. (13-12-140)	
CN193110	Register vacant building within 30 days of it becoming vacant, or within 30 days after assuming ownership of an existing vacant building. (13-12-125(a)). Building must be kept in compliance with all vacant building requirements pursuant to 13-12-135. See Vacant Building Ordinance and registration form at https://ipiweb.cityofchicago.org/VBR	
CN196039	Post, on abandoned building, name, address and telephone of owner and owner's agent for managing, controlling or collecting rents on building so legible from nearest public street or sidewalk. (13-12-125)	
	CONSERVATION COMPLAINT INSPECT # 13835032 INSPECTION DATE: 06/17/2022	**Number of Violations: 9**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**

FILED DATE: 7/28/2025 1:48 PM 2022L010246

CN015062	Failed to remove obstruction from exitway that hampers travel and evacuation. (13-160-070, 13-196-080)	THERE IS ONLY ONE EXIT DOOR IN THIS ILLEGAL, UNLICENSED PPA EVENT SPACE AND THIS SOLE DOOR IS OBSTRUCTED BY A LARGE CURTAIN AND A MAKE-SHIFT PARTION WALL COMPRISED OF OLD WOODEN CRATES AND GRAND PIANOS SET ON THEIR SIDES. DANGEROUS AND HAZARDOUS. SECTION 14-5-505.1.2.
CN061024	Failed to maintain building or structure in a structurally safe and stable condition. The Building Commissioner requests submission of two (2) copies of a structural condition report prepared, signed and sealed by an Illinois licensed Architect or Structural Engineer, attesting to the structural conditions of the building or structure. (13-196-030)	THIS BUILDING IS OVER 100 YEARS OLD. THERE HAS BEEN RECENT WORK ON THE TRUSS ROOF WITH NO PROOF THAT THE WORK WAS PERFORMED BY A QUALIFIED, LICENSED CONTRACTOR. THERE ARE NO PLANS OR PERMITS ON FILE FOR THIS ROOF WORK. A STRUCTURAL ENGINEERS' REPORT IS REQUIRED TO DTERMINE THE CONDITION OF THE ROOF TRUSSES AND THE ROOF PURLINS (SEVERAL ROOF PURLINS HAVE BEEN REPLACED). SECTION 14X-1-104.1.
CN068014	Failed to maintain roof structure in sound condition and good repair and free from defects which may admit rain. (13-196-530, 13-196-530(e), 13-196-641)	THIS IS A TRUSS ROOF BUILDING. THE EXISTING METAL ROOF TRUSSES HAVE AREAS OF RUSTED METAL. THERE HAVE BEEN NUMEROUS PURLINS REPLACED ALONG WITH ROOF SHEATHING WITHOUT PERMIT OR EVIDENCE OF QUALIFIED, LICENSED CONTRACTORS HAVING PERFORMED THE WORK. ALL FURTHER WORK TO BE PERFORMED ON THIS ROOF SYSTEM IS TO BE BASED ON A STRUCTURAL ENGINEERS' REPORT. SECTION 14X-3-303.1.

FILED DATE: 7/28/2025 1:48 PM 2022L010246

CN107025	Failed to install standard internally illuminated exit, fire escape, and/or directional signs. (13-196-090, 13-160-700 thru 13-160-770)	THIS ILLEGAL EVENT SPACE IS POORLY ILLUMINATED WITH NO DEDICATED EXIT ILLUMINATION. DANGEROUS AND HAZARDOUS. SECTION 14X-5-505.6.2
CN138056	Remove accumulation of refuse and debris and keep premises clean. (13-196-580, 13-196-630)	THIS ILLEGAL EVENT SPACE HAS CREATED A HUGE, RAT INFESTED DEBRIS PILE OUTSIDE OF THE BUILDING. SECTION 14X-3-302.1.
EL0029	Remove exposed wiring. (18-27-300.4)	THERE IS EXPOSED ELECTRICAL WIRING AT NUMEROUS OUTLETS AND AN OPEN ELECTRICAL PANEL WITH NO COVER. DANGEROUS AND HAZARDOUS. SECTION 14X-7-703 AN 14X-7-705.
NC1010	Performed or allowed construction or alteration work contrary to original plan of construction without obtaining a permit. (13-32-010, 13-12-050)	TWO VERY LARGE PARTION WALLS HAVE BEEN ERECTED INSIDE THIS UNLICENSED EVENT SPACE. THESE WALLS ARE COMPRISED OF VARIOUS SIZED WOOD SCRAPS, NUMEROUS OLD DOORS, SEVERAL GRAND PIANOS SET IN THEIR SIDE AS WELL AS VARIOUS SIZED WOOD STORAGE CRATES. THESE MAKE-SHIFT PARTION WALLS HAVE BEEN HAPHAZARDLY ASSEMBLED ARE IN A STATE OF IMINENET COLLAPSE. DANGEROUS AND HAZARDOUS. REMOVE THESE MAKE SHIFT PARTITIONS AND RESTORE THE OPEN FLOOR PLAN ORIGINAL TO THIS BUILDING. SECTION 14A-4-401.1.

FILED DATE: 7/28/2025 1:48 PM 2022L010246

NC2011	Performed or allowed work to be performed without submitting plans prepared, signed and sealed by a licensed architect or registered structural engineer for approval and without obtaining a permit to perform the work. (13-32-010, 13-32-040, 13-40-020, 13-12-050)	THERE ARE NO PLANS OR PERMITS ON FILE AS PART OF THE (REQUIREMENT) FOR ACQUIRING A PPA LICENSE. THIS INDUSTRIAL ZONED BUILDING IS HOSTING ONGOING RAVE PARTY EVENTS SERVING / SELLING ALCOHOL; PROVIDING LIVE MUSIC AND SELLING TICKETS FOR ADMISSION. UNLESS THIS BUILDING'S ZONING IS CHANGED, IT IS NOT POSSIBLE TO OBTAIN THE LICENSE TO HOST ANY EVENTS WHAT SO EVER. SECTION 14A-4-401.1.
NC2052	Register any person who caused any construction repairs or alterations to be made or for any building, structure, or any part thereof, without first obtaining and posting permits shall be fined from 10 to 200 dollars for each day construction, repair or alteration exists without permit. (13-12-050)	EXTENSIVE TRUSS ROOF WORK HAS BEEN PERFORMED WITHOUT PLANS OR PERMITS AS WELL AS NO PROOF THAT A QUALIFIED, LICENSED CONTRACTOR PERFORMED SAID WORK. SECTION 14A-4-401.
	SIGN COMPLAINT INSPECTION # 231992 INSPECTION DATE: 03/14/2002	**Number of Violations: 1**
VIOLATIONS	**BUILDING CODE CITATION**	**VIOLATION DETAILS**
EL0088	Remove	#1 READS "GLASS & PLASTICS " APROX SIZE 4X4,#2 READS "COLUMBIA GLASS & PLASTICS" APPROX SIZE 4X20

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 10911652

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	NO POWER.

Showing 1 to 1 of 1 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 11028764

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	NO POWER.

Showing 1 to 1 of 1 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 14191696

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
BR1001	The code violations listed below must be corrected within 15 days of receipt of this notice. The owner or the contractor who does the work must sign, date, and return this notice or a copy to indicate that the work is done to the Boiler Inspection Bureau.	

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Inspection # 14191696		
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
BR2010	Call 744-3516 to arrange entry for boiler, water heater, pressure vessel, and related equipment inspection.	NO ENTRY

Showing 1 to 2 of 2 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 11082359

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	

Showing 1 to 1 of 1 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4714 W LAKE ST

Search within these results:

Inspection # 13946004

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
CN002081	Submit for approval plans prepared, signed, and sealed by licensed architect or licensed engineer and obtain permit for all but emergency repairs. (13-32-010, 13-40-010, 13-40-020)	

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Inspection # 13946004		
VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
CN193000	Maintain building in safe condition so it does not constitute actual and imminent danger to public. (13-12-130, 13-8-100, 13-12-120, 13-12-125, 65 ILCS 5/11-31-1) Maintain building windows and doors in safe condition. (13-196-550) Maintain stairway and porch in safe condition. (13-196-570) Maintain floors, walls, and ceilings in safe condition. (13-196-540) Maintain building in safe condition. Premises now dangerous as vacant and open, uncompleted and abandoned, or vacant and boarded. (13-12-130, 13-12-125) Maintain watchman at vacant or open premises. (13-12-140)	
CN193019	Repair or wreck dangerous and vacant residential premises. (13-8-100, 13-12-125, 13-12-130)	
CN193029	Maintain watchman from 4:00 PM to 8:00 AM for vacant and dangerous residential premises. (13-12-140)	
CN193110	Register vacant building within 30 days of it becoming vacant, or within 30 days after assuming ownership of an existing vacant building. (13-12-125(a)). Building must be kept in compliance with all vacant building requirements pursuant to 13-12-135. See Vacant Building Ordinance and registration form at https://ipiweb.cityofchicago.org/VBR	
CN196039	Post, on abandoned building, name, address and telephone of owner and owner's agent for managing, controlling or collecting rents on building so legible from nearest public street or sidewalk. (13-12-125)	

Showing 1 to 6 of 6 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 11833613

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	

Showing 1 to 1 of 1 entries

Home : Disclaimer : Privacy Policy : Web Standards : Site Credits : Site Map : Contact Us : Press Room

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 123328

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP1976	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE PRESSURE MAINTENANCE PUMP (JOCKEY PUMP).	
FP1980	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE OUTSIDE SCREW AND YOKE VALVE(S), (O.S.Y.)	REPACK LEAKING NW RISER OS & Y

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Inspection # 123328

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2028	SEC. 15-16-400, 15-16-1050 SECURE ALL SUPPLY GATE VALVES IN AN OPEN POSITION.	

Showing 1 to 4 of 4 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 123329

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP1976	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE PRESSURE MAINTENANCE PUMP (JOCKEY PUMP).	
FP1980	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE OUTSIDE SCREW AND YOKE VALVE(S), (O.S.Y.)	REPACK LEAKING NW RISER OS & Y

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Inspection # 123329

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2028	SEC. 15-16-400, 15-16-1050 SECURE ALL SUPPLY GATE VALVES IN AN OPEN POSITION.	
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	

Showing 1 to 5 of 5 entries

Home : Disclaimer : Privacy Policy : Web Standards : Site Credits : Site Map : Contact Us : Press Room

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 243192

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Inspection # 243192

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	

Showing 1 to 4 of 4 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 250295

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	

Showing 1 to 3 of 3 entries

Home : Disclaimer : Privacy Policy : Web Standards : Site Credits : Site Map : Contact Us : Press Room

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 370657

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Inspection # 370657

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	

Showing 1 to 8 of 8 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 777554

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1918	SEC. 15-16-220 REPAIR AND MAINTAIN THE AUTOMATIC SPRINKLER SYSTEM AND PLACE IN SERVICE AT ONCE.	SYSTEM ON CITY PRESSURE ONLY
FP1924	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE FIRE PUMP.	REPACK FIRE ALARM
FP1928	SEC. 15-16-220 REPAIR OR REPLACE DEFECTIVE GUARD RAIL.	SECURE COUPLING GUARD

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Inspection # 777554

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1968	SEC. 15-16-220, 15-16-1170 REPAIR OR REPLACE DEFECTIVE RELIEF VALVE(S).	
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	

Showing 1 to 5 of 5 entries

Home : Disclaimer : Privacy Policy : Web Standards : Site Credits : Site Map : Contact Us : Press Room

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 782059

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2148	SEC. 13-76-120, 15-16-190, 15-16-210, 15-16-220, 15-16-280, 15-16-310 15-16-1150, 15-16-1160 PROVIDE FOR A PERFORMANCE TEST OF YOUR FIRE PUMP, WHICH SHALL BE WITNESSED BY THE BUREAU OF FIRE PREVENTION. SAID PUMP WILL BE IN COMPLIANCE ONLY WHEN IT PRODUCES ITS RATED GALLONS PER MINUTE AND PRESSURE.	

Showing 1 to 1 of 1 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Inspection # 794809

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2008	SEC. 15-16-350, 15-16-040, 15-16-050, 15-16-060, 15-16-070, 15-16-190, 15-28-340, 15-16-030 REMOVE THE OBSTRUCTIONS THAT HAMPER THE OPERATION OF THE SPRINKLER SYSTEM OR EXTEND THE SYSTEM TO INCLUDE THE AREA(S) BELOW THE OBSTRUCTION(S). SUBMIT THREE SETS OF PLANS TO THE FIRE PREVENTION BUREAU AND OBTAIN APPROVAL BEFORE STARTING WORK.	STOP BLOCKING FIRE EXTINGUISHERS THRU-OUT PRIMISES
FP2052	SEC. 15-16-530, 15-16-190 PROVIDE AN APPROVED WATER MOTOR GONG OR AN APPROVED SYSTEM OF OUTSIDE AND INSIDE BELLS. SUBMIT THREE SETS OF PLANS TO THE FIRE PREVENTION BUREAU BEFORE STARTING WORK.	INSTALL 6" WATER FLOW BELL IN PUMP ROOM
FP2052	SEC. 15-16-530, 15-16-190 PROVIDE AN APPROVED WATER MOTOR GONG OR AN APPROVED SYSTEM OF OUTSIDE AND INSIDE BELLS. SUBMIT THREE SETS OF PLANS TO THE FIRE PREVENTION BUREAU BEFORE STARTING WORK.	INSTALL 10" WATER FLOW BELL OUTSIDE FRONT.
FP2108	SEC. 15-16-970, 15-16-090 PROVIDE APPROVED ONE AND ONE HALF (1 1/2) INCH HOSE WHERE SAME IS MISSING OR DAMAGED.	REPLACE 1 1/2" HOUSE HOSE ON STANDPIPE (CENTER SHOP)

Showing 1 to 4 of 4 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 2170753

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
CN031013	Failed to install approved fire extinguishers on every floor of residential building more than three stories in height and having floor area exceeding 3,000 square feet. (15-16-160, 15-16-640)	Missing fire extinquisher shop area.
CN107035	Failed to maintain all exit signs illuminated when building is occupied and otherwise maintain exit signs in good condition. (13-196-090, 13-160-700 thru 13-160-770)	Non-lit exit lights west.

Showing 1 to 2 of 2 entries

Home : Disclaimer : Privacy Policy : Web Standards : Site Credits : Site Map : Contact Us : Press Room

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 2242507

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1904	SEC. 15-4-970, 4-180-070, 15-24-780, 15-24-790 REMOVE RUBBISH FROM	DEBRIS RUBBISH BSMT

Showing 1 to 1 of 1 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 10229147

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP1984	SEC. 15-16-220 REPAIR OR REPLACE DAMAGED OR DEFECTIVE SIAMESE FITTING.	SOUTH WEST SIDE NEAR OVERHEAD DOOR.
FP2051	SEC. 15-16-530, 15-16-1140 REPAIR DEFECTIVE ALARM VALVE OR WATER FLOW BELL.	10" BELL O.O.S.

Showing 1 to 2 of 2 entries

Home : Disclaimer : Privacy Policy : Web Standards : Site Credits : Site Map : Contact Us : Press Room

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Building Permit and Inspection Records

Disclaimer

The information presented on this website is informational only and does not necessarily reflect the current condition of the building or property. The fact that a permit was issued does not confirm that work was performed, or that work was performed in accordance with that permit and the requirements of the Municipal Code.

Information on inspections and alleged violations reflect conditions found by the inspector at the time of the inspection and not necessarily the current status of those alleged violations or the current condition of the property. The absence of alleged violations on this website does not mean a building or property is in compliance with the requirements of the Municipal Code.

The Department of Buildings may refer certain alleged violations to the City's Department of Law for enforcement proceedings in the Department of Administrative Hearings or the Circuit Court of Cook County. Please contact the Department of Administrative Hearings or the Clerk of the Circuit Court, respectively to obtain records of these proceedings.

ADDRESS: 4700 W LAKE ST

Search within these results:

Inspection # 10320968

VIOLATIONS	BUILDING CODE CITATION	VIOLATION DETAILS
FP2051	SEC. 15-16-530, 15-16-1140 REPAIR DEFECTIVE ALARM VALVE OR WATER FLOW BELL.	10" BELL O.O.S.

Showing 1 to 1 of 1 entries

Copyright © 2018 - 2025 City of Chicago

FILED DATE: 7/28/2025 1:48 PM 2022L010246

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Electronically Certified Official Record

DOCUMENT INFORMATION

Agency Name:	Cook County Clerk
County Clerk:	Monica Gordon
Date Issued:	7/26/2025 3:58:48 AM
Unique Reference Number:	BAA-FCG-BHADBBAA-BIDCDEJBFJ-FDJBDC-I
Instrument Number:	1832349159
Requesting Party Code:	526
Requesting Party Reference:	205997220

CERTIFICATION

Pursuant to Illinois Rules of evidence 901(a), 901(b)(7), 902(4), and 902(12), and Federal Rules of Evidence 901(a), 901(b)(7), and 902(1), the attached document is electronically certified by Monica Gordon, Cook County Clerk, to be a true and correct copy of an official record or document authorized by law to be recorded or filed and actually recorded or filed in the office of the Cook County Clerk. The document may have redactions as required by law.

HOW TO VERIFY THIS DOCUMENT

This document contains a Unique Reference Number for identification purposes and a tamper-evident seal to indicate if the document has been tampered with. To view the tamper-evident seal and verify the certifier's digital signature, open this document with Adobe Reader software. You can also verify this document by scanning the QR code or visiting https://www.cookcountyclerkil.gov/recordings/verified-recordings.

**The web address shown above contains an embedded link to the verification page for this particular document.

Exhibit D

FILED DATE: 7/28/2025 1:48 PM 2022L010246
Unique Code : BAA-FCG-BHADBBAA-BIDCDEJBFJ-FDJBDC-I Page 1 of 3

TRUSTEE'S DEED IN TRUST

Reserved for Recorder's Office

Doc#. 1832349159 Fee: $52.00
Karen A.Yarbrough
Cook County Recorder of Deeds
Date: 11/19/2018 10:51 AM Pg: 1 of 3

Dec ID 20181101628507
ST/CO Stamp 0-252-322-464 ST Tax $850.00 CO Tax $425.00
City Stamp 0-801-968-800

This indenture made this **12th** day of **November, 2018,** between **CHICAGO TITLE LAND TRUST COMPANY**, a corporation of Illinois, as Trustee under the provisions of a deed or deeds in trust, duly recorded and delivered to said company in pursuance of a trust agreement dated the **14th** day of **November, 1977,** and known as Trust Number **41594,** party of the first part, and **CHICAGO TITLE LAND TRUST COMPANY, as trustee under Trust Agreement dated August 14, 2018, and known as Trust No. 8002378806** whose address is: **10 South LaSalle Street, Suite 2750, Chicago, Illinois 60603**
party of the second part.

WITNESSETH, That said party of the first part in consideration of the sum of **TEN and no/100 DOLLARS ($10.00) AND OTHER GOOD AND VALUABLE** considerations in hand paid, does hereby **CONVEY AND QUITCLAIM** unto said party of the second part, the following described real estate, situated in **Cook** County, Illinois, to wit:

FOR THE LEGAL DESCRIPTION SEE ATTACHED EXHIBIT "A" WHICH IS EXPRESSLY INCORPORATED HEREIN AND MADE A PART HEREOF.

Permanent Tax Numbers: 16-10-300-001-0000; 16-10-300-013-0000; 16-10-301-004-0000; 16-10-301-006-0000; 16-10-301-007-0000; 16-10-301-008-0000; 16-10-301-009-0000; 16-10-301-010-0000; 16-10-301-011-0000

together with the tenements and appurtenances thereunto belonging.

TO HAVE AND TO HOLD the same unto said party of the second part, and to the proper use, benefit and behoof of said party of the second part.

This Deed is executed pursuant to and in the exercise of the power and authority granted to and vested in said Trustee by the terms of said deed or deeds in trust delivered to said Trustee in pursuance of the trust agreement above mentioned. This deed is made subject to the lien of every trust deed or mortgage (if any there be) of record in said county to secure the payment of money, and remaining unreleased at the date of the delivery hereof.

FULL POWER AND AUTHORITY is hereby granted to said trustee to improve, manage, protect and subdivide said premises or any part thereof, to dedicate parks, streets, highways or alleys and to vacate any subdivision or part thereof, and to resubdivide said property as often as desired, to contract to sell, to grant options to purchase, to sell on any terms, to convey either with or without consideration, to convey said premises or any part thereof to a successor or successors in trust and to grant to each successor or successors in trust all of the title, estate, powers and authorities vested in said trustee, to donate, to dedicate, to mortgage, pledge or otherwise encumber said property, or any part thereof, to lease said property, or any part thereof, from time to time, in possession or reversion, by leases to commence *in praesenti or futuro*, and upon any terms and for any period or periods of time, not exceeding in the case of any single demise the term of 198 years, and to renew or extend leases upon any terms and for any period or periods of time and to amend, change or modify leases and the terms and provisions thereof at any time or times hereafter, to contract to make leases and to grant options to lease and options to renew leases and options to purchase the whole or any part of the reversion and to contract respecting the manner of fixing the amount of present or future rentals, to partition or to exchange said property, or any part thereof, for other real or personal property, to grant easements or charges of any kind, to release, convey or assign any right, title or interest in or about or easement appurtenant to said premises or any part thereof, and to deal with said property and every part thereof in all other ways and for such other considerations as it would be lawful for any person owning the same to deal with the same, whether similar to or different from the ways above specified, at any time or times hereafter.

In no case shall any party dealing with said trustee in relation to said premises, or to whom said premises or any part thereof shall be conveyed, contracted to be sold, leased or mortgaged by said trustee, be obliged to see to the application of any purchase money, rent or money borrowed or advanced on said premises, or be obliged to see that the terms of this trust have been complied with, or be obliged to inquire into the necessity or expediency of any act of said trustee, or be

I HEREBY CERTIFY THAT THIS DOCUMENT IS A TRUE AND CORRECT COPY OF AN OFFICIAL RECORDS OR DOCUMENT AUTHORIZED BY LAW TO BE RECORDED OR FILED AND ACTUALLY RECORDED OR FILED IN THE OFFICE OF THE COOK COUNTY CLERK. THIS DOCUMENT MAY HAVE REDACTIONS AS REQUIRED BY LAW.
TO VALIDATE THIS DOCUMENT VISIT HTTPS://VERIFY.CLERKECERTIFY.COM

THE COOK COUNTY CLERK
7/26/2025 3:59:03 AM
Monica Gordon
7/26/2025 3:59:03 AM
Monica Gordon

obliged or privileged to inquire into any of the terms of said trust agreement; and every deed, trust deed, mortgage, lease or other instrument executed by said trustee in relation to said real estate shall be conclusive evidence in favor of every person relying upon or claiming under any such conveyance, lease or other instrument, (a) that at the time of the delivery thereof the trust created by this indenture and by said trust agreement was in full force and effect, (b) that such conveyance or other instrument was executed in accordance with the trusts, conditions and limitations contained in this indenture and in said trust agreement or in some amendment thereof and binding upon all beneficiaries thereunder, (c) that said trustee was duly authorized to execute and empowered to execute and deliver every such deed, trust deed, lease, mortgage or other instrument and (d) if the conveyance is made to a successor or successors in trust, that such successor or successors in trust have been properly appointed and are fully vested with all the title, estate, rights, powers, duties and obligations of its, his, her or their predecessor in trust.

The interest of each and every beneficiary hereunder and of all persons claiming under them or any of them shall be only in the earnings, avails and proceeds arising from the sale or other disposition of said real estate, and such interest is hereby declared to be personal property, and no beneficiary hereunder shall have any title or interest, legal or equitable, in or to said real estate as such, but only an interest in the earnings, avails and proceeds thereof as aforesaid.

IN WITNESS WHEREOF, said party of the first part has caused its corporate seal to be affixed, and has caused its name to be signed to those presents by its Assistant Vice President, the day and year first above written.

CHICAGO TITLE LAND TRUST COMPANY,
as successor trustee as aforesaid

By: _____
Harriet Denisewicz
Assistant Vice President

State of Illinois)
) **SS**
County of Cook)

I, the undersigned, a Notary Public in and for the County and State aforesaid, do hereby certify that the above named Assistant Vice President of **CHICAGO TITLE LAND TRUST COMPANY**, personally known to me to be the same person whose name is subscribed to the foregoing instrument as such Assistant Vice President appeared before me this day in person and acknowledged that he/she signed and delivered the said instrument as his/her own free and voluntary act and as the free and voluntary act of the Company; and the said Assistant Vice President then and there caused the corporate seal of said Company to be affixed to said instrument as his/her own free and voluntary act and as the free and voluntary act of the Company.

Given under my hand and Notarial Seal this **12th** day of **November, 2018.**

"OFFICIAL SEAL"
CHRISTINE C. YOUNG
Notary Public, State of Illinois
My Commission Expires 08/21/19

_____
NOTARY PUBLIC

PROPERTY ADDRESS:
4714-18 W. Lake Street
Chicago, Illinois 60644

This instrument was prepared by:
Harriet Denisewicz
CHICAGO TITLE LAND TRUST COMPANY
10 South LaSalle Street
Suite 2750
Chicago, IL 60603

AFTER RECORDING, PLEASE MAIL TO:

NAME _____

ADDRESS _____

CITY, STATE _____

SEND TAX BILLS TO:

NAME_____

ADDRESS_____

CITY, STATE_____

FILED DATE: 7/28/2025 1:48 PM 2022L010246
Unique Code : BAA-FCG-BHADBBAA-BIDCDEJBFJ-FDJBDC-I Page 2 of 3

FILED DATE: 7/28/2025 1:48 PM 2022L010246
Unique Code : BAA-FCG-BHADBBAA-BIDCDEJBFJ-FDJBDC-I Page 3 of 3

EXHIBIT "A"

Legal Description

PARCEL 1:

LOTS 43 TO 48, BOTH INCLUSIVE, IN BLOCK 8 IN THE RESUBDIVISION OF BLOCKS 7 TO 10, BOTH INCLUSIVE IN WEST CHICAGO LAND COMPANY'S SUBDIVISION OF THE SOUTH HALF OF SECTION 10, TOWNSHIP 39, NORTH RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN IN COOK COUNTY, ILLINOIS.

PARCEL 2:

LOTS 39 TO 42, BOTH INCLUSIVE, IN BLOCK 8 IN THE RESUBDIVISION OF BLOCKS 7 TO 10, BOTH INCLUSIVE, IN WEST CHICAGO LAND COMPANY'S SUBDIVISION OF THE SOUTH HALF OF SECTION 10, TOWNSHIP 39, NORTH RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN IN COOK COUNTY, ILLINOIS.

PARCEL 3:

LOT 34 (EXCEPT THE WEST 20.00 FEET THEREOF) AND ALL OF LOTS 35, 36, 37 AND 38 IN BLOCK 8 IN THE RESUBDIVISION OF BLOCKS 7 TO 10, BOTH INCLUSIVE, IN WEST CHICAGO LAND COMPANY'S SUBDIVISION OF THE SOUTH HALF OF SECTION 10, TOWNSHIP 39, NORTH RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN IN COOK COUNTY, ILLINOIS.

PARCEL 4:

LOT 33 (EXCEPT THE WEST 10.00 FEET THEREOF) AND THE WEST 20.00 FEET OF LOT 34 IN BLOCK 8 IN THE RESUBDIVISION OF BLOCKS 7 TO 10, BOTH INCLUSIVE, IN WEST CHICAGO LAND COMPANY'S SUBDIVISION OF THE SOUTH HALF OF SECTION 10, TOWNSHIP 39, NORTH RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN IN COOK COUNTY, ILLINOIS.

PARCEL 5:

LOT 32 AND THE WEST 10.00 FEET OF LOT 33 IN BLOCK 8 IN THE RESUBDIVISION OF BLOCKS 7 TO 10, BOTH INCLUSIVE, IN WEST CHICAGO LAND COMPANY'S SUBDIVISION OF THE SOUTH HALF OF SECTION 10, TOWNSHIP 39, NORTH RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN IN COOK COUNTY, ILLINOIS.

PARCEL 6:

LOT 31 IN BLOCK 8 IN THE RESUBDIVISION OF BLOCKS 7 TO 10, BOTH INCLUSIVE, IN WEST CHICAGO LAND COMPANY'S SUBDIVISION OF THE SOUTH HALF OF SECTION 10, TOWNSHIP 39, NORTH RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS.

PARCEL 7:

LOT 29 IN BLOCK 8 IN THE RESUBDIVISION OF BLOCKS 7 TO 10, BOTH INCLUSIVE, IN WEST CHICAGO LAND COMPANY'S SUBDIVISION OF THE SOUTH HALF OF SECTION 10, TOWNSHIP 39 NORTH, RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS.

PARCEL 8:

LOTS 20, 21, 22, 23 AND 24 IN RESUBDIVISION OF BLOCK 8 IN WEST CHICAGO LAND COMPANY'S SUBDIVISION OF THE SOUTH 1/2 OF SECTION 10, TOWNSHIP 39 NORTH, RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN, COOK COUNTY, ILLINOIS.

PARCEL 9:

LOTS 1 AND 2, IN THE RESUBDIVISION OF BLOCK 8 IN WEST CHICAGO LAND COMPANY'S SUBDIVISION OF THE SOUTH 1/2 OF SECTION 10, TOWNSHIP 39 NORTH, RANGE 13, EAST OF THE THIRD PRINCIPAL MERIDIAN, IN COOK COUNTY, ILLINOIS.

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Gmail **Kenneth Mayle <ken.mayle@gmail.com>**

Insurance policy question 4714 West Lake Insurability

Don A. Devereaux <don.devereaux@dimondbros.com> Tue, Jul 15, 2025 at 11:52 AM
To: "Debbie A. Metschuleit" <debbie.metschuleit@dimondbros.com>
Cc: Tracy Ruff <tracy.ruff@dimondbros.com>, Lindsay Burton <lindsay.burton@dimondbros.com>, "ken.mayle@gmail.com" <ken.mayle@gmail.com>

Ken,

Here is the response from my underwriter:

Good Morning Don,

Thank you for your inquiry! Loss control reports are propriety information and unfortunately cannot be shared with agents or insureds. Sorry I cannot be of more help!

Best,

Madisen Molter

Senior Commercial Lines Underwriter

But below is what my underwriter back then sent over to me: 11/8/2021

I've left a few messages over the last couple weeks on the loss control findings for 30 Degree Designs to discuss the concerns that I have. The report came back with information that I was not expecting and I was hoping to discuss it over a phone call, however I don't want to postpone reaching out about my concerns any longer.

The biggest concern is that the insured is looking to sublet a large portion of the building to other craftsman/artists, and one of the companies that the insured mentioned they might sublet to eventually is a blacksmith. Outside of that the notes show that the building has been poorly maintained and it could not be confirmed if the sprinkler system is operational. The exterior of the building also shows signs of deterioration. The insured is not looking to purchase the building and has no control over repairs or maintenance of the property.

Exhibit E

FILED DATE: 7/28/2025 1:48 PM 2022L010246





Unfortunately I am not comfortable staying on the risk, the findings are unexpected and with having no control over who the insured is subletting to and the condition of the building I will have to mid-term cancel. I'm sorry for the bad news on this one.

Thanks,

Hannah Favret

Senior Commercial Lines Underwriter

Sorry I could not be of more help Ken. Good Luck Sir!

FILED DATE: 7/28/2025 1:48 PM 2022L010246



Donald A. Devereaux, Jr., PHR, CEBS
Sales Executive
NPN #2339446

don.devereaux@dimondbros.com
815.932.6791 ext. 2005
815.703.8132
815.933.5921
301 N. Schuyler Ave., Kankakee, IL 60901

Dimond Bros. INSURANCE

Dimond Bros. Insurance, LLC
CA License #0J05868
IL License #100659850
IN License #931676
WI License #100191702

Additional state license information available on request.

To request a copy of the Privacy Policy by mail, please send an email to privacy@dimondbros.com or call (217)356-6400 ext. 3803.
**** CONFIDENTIALITY NOTICE & DISCLAIMER ****
The information included in this e-mail, including any attachments, is for the sole use of the intended recipient and may contain confidential and privileged information. Any unauthorized review, use, disclosure, distribution or similar action is prohibited. If you are not the intended recipient, please contact the sender and delete all copies of the original message immediately.
Please note that leaving a message in email or voicemail does not constitute the binding of coverage and you must speak with an Agency Representative.

From: Debbie A. Metschuleit <debbie.metschuleit@dimondbros.com>
Sent: Monday, July 14, 2025 4:57 PM
To: Don A. Devereaux <don.devereaux@dimondbros.com>
Cc: Tracy Ruff <tracy.ruff@dimondbros.com>; Lindsay Burton <lindsay.burton@dimondbros.com>; ken.mayle@gmail.com

[Quoted text hidden]

[Quoted text hidden]

FILED DATE: 7/28/2025 1:48 PM 2022L010246

Chicago Fire Department
Incident Report

Incident Reviewed By

Reviewer	18696 - PLESCIA FRANK V. Battalion Chief
Date	02/12/2023

Incident

Incident #	23-037-1478-00
Status	Closed
Incident Date/Time	02/06/2023 14:18:31
Incident Type	111 - Building fire
Box#	121454
Platoon	2
Address	4714 W LAKE ST
Ward	28
Shift	2
Alarms	2
District	E117
Action Taken1	11 - Extinguishment by fire service personnel
Property Use	700 - Manufacturing, processing

Resources

Unit Responsible for Report: BC18

Unit Type	92 - Chief officer car
Action Taken1	81 - Incident command
Action Taken2	813 - Operated/Assigned as Sector Chief
Dispatch Date/Time	02/06/2023 14:19:05
Enroute Date/Time	02/06/2023 14:20:00
Arrival Date/Time	02/06/2023 14:29:42
Unit Report By	18696

Persons Involved

Name	Name unavailable
Involvement	Person / Business that OCCUPIES area where incident occured
Buildings Involved	1
On Site Material1	611 - Industrial machinery

Exhibit F

FILED DATE: 7/28/2025 1:48 PM 2022L010246

On Site Material Storage Use1	2 - Processing or manufacturing
Area Of Origin	UU - Undetermined
Heat Source	UU - Undetermined
Item First Ignited	UU - Undetermined
Cause of Ignition	U - Cause undetermined after investigation
Factor Contributing To Ignition1	UU - Undetermined
Human Factor	None
Suppression Factor	None
Equipment Involved Type	UUU - Undetermined
Equipment Involved Power	UU - Undetermined
Equipment Involved Portability	2 - Stationary
Mobile Property Involved	None

Structure

Structure Type	1 - Enclosed building
Building Status	2 - In normal use
Floors Above Grade	1
Floors Belows Grade	0
Building Length	150
Building Width	250
Story of Fire Origin	1
Fire Spread	4 - Confined to building of origin
Flame Spread Item	17 - Structural member or framing
Flame Spread Material	63 - Sawn wood, including all finished lumber
Building Type	3 - Ordinary Unprotected
Detector Presence	N - None present
AES Presence	N - None Present